



Centre Anti-Poison pour le Québec: (800) 463-5060
Tél. (Qc): (418) 660-8666 / 800-890-8666
Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier E.D.T.A. (DISODIUM SALT) (0.01M)		Product Use Laboratory use	
Chemical formula $C_{10}H_{14}N_2O_8 \cdot 2Na \cdot 2H_2O$		Product code ES-0601	Molar weight 372,24
Chemical name / Commercial name / Synonymous Ethylenediaminetetraacetic acid disodium salt dihydrate, EDTA. disodique dihydrate, disodium edetate, disodium (ethylene dinitrilo) tetraacetic acid, ethylene diaminetetraacetic acid, edetic acid disodium salt, ethylenebis (iminodiacetic acid) disodium salt			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666	CENTRE ANTI-POISON DU QUÉBEC 800-463-5060	
Date SDS 10/16/2018	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Not a hazardous substance according to WHMIS 2015
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	Health 0 Fire 0 Reactivity 0 Special danger

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Ingredients (Chemical name / synonyms)	Numéro CAS et tout identificateur unique	Concentration (%)
E.D.T.A., Disodique, dihydrate Eau		6381-92-6 7732-18-5	<1 Balance

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Not flammable or combustible.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Not applicable.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. Carbon oxides, Nitrogen oxides (NO _x). - Sodium oxides.
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personnel precautions, protective equipment	Evacuate personnel to safe areas. Absorb residues with vermiculite or other absorbents. Ensure a good ventilation of the premises. Dilute residues with water, clean and rinse. When handling, wear appropriate safety equipment. Dispose of residues in a container provided for the disposal of hazardous materials.
--	--

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Air-, heat-, and moisture-sensitive. Keep container tightly closed and store away from heat, water, moisture, and incompatible products.
Methods of handling	Always open containers slowly to allow any excess pressure to vent. Wear personal protective equipment when handling. Always ensure good ventilation. Transport according to TDG (ref Section 14)

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS-No.	Value	Control Citric acid	
EDTA Disodium salt, dihydrate	6381-92-6	No data available	TLV, TWA, STEL	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		No data available	TLV, TWA, STEL	Canada. British Columbia OEL
		No data available	TLV, TWA, STEL	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

Ventilation	Use fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.
Appearance	Liquide incolore.-
Odour	inodore.
Odour threshold	Data not available
pH	4.0 -5.5 à 10 g/L à 23°C.
Melting point / Freezing point	Data not available
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Solubility	Dans l'eau: 108 g/L @ 20 °C (pH 5.3).
Vapour density	Data not available
Relative density	1.00g/ml
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Avoid contact with incompatible materials. Avoid excessive heat. Avoid dust formation.
Incompatible material	Strong oxidants.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Toxic vapors of nitrogen oxides, monoxide and carbon dioxide. - Sodium oxides.

SECTION 11 - TOXICOLOGICAL INFORMATION

E.D.T.A., DISODIUM SALT, DIHYDRATE

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and tearing.
- Skin	Irritation.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders, cough, dyspnea, headache, dizziness, nausea and vomiting.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Nervous disorders, liver damage, gastrointestinal disorders, cramps, diarrhea, headache, dizziness, convulsions, nausea and vomiting.
Chronic exposure effects / symptoms	Burning sensation, nervous disorders, chest pain, cough, dyspnoea, laryngitis, dizziness, headache, tiredness, loss of appetite, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 2800 mg/kg. LD50 Dermal - Data not available.
CL50 (specify species and route of entry)	Data not available.

SUMMARY

Acute exposure effects / Symptoms:	By exposure routes below.
Ingestion	To our knowledge, the product has not been fully evaluated
Inhalation	To our knowledge, the product has not been fully evaluated
Skin	To our knowledge, the product has not been fully evaluated
Eyes	To our knowledge, the product has not been fully evaluated
Chronic exposure effects / Symptoms:	To our knowledge, the product has not been fully evaluated
ETA Mix (Estimated Acute Toxicity)	LD50: Oral Rat - >5000 mg/kg LD50: Dermal - No data available LC50: Inhalation -No data available

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	E.D.T.A., disodium salt, dihydrate. Toxicity to fish: LC50: Leuciscus idus(ide) - > 500 mg/l - 96 h. Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna: > 100 mg/l - 24 h. Toxicity to algae. EC50 - Algae: 10 - 100 mg/l - 72 h.
Persistence and degradability	Data not available. Expected to be biodegradable
Bioaccumulative potential	Data not available.
Mobility in soil	Data not available.
Other adverse effects	Data not available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

SECTION 15 - REGULATORY INFORMATION

WHMIS CANADA	Not a hazardous substance according to WHMIS 2015
--------------	---

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 10/16/2018