



Centre Anti-Poison pour le Québec: (800) 463-5060

Tél. (Qc): (418) 660-8666 / 800-890-8666


Fax. (Qc): (418) 660-8998

## SAFETY DATA SHEET

### SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

|                                                                      |                                                                 |                                             |              |
|----------------------------------------------------------------------|-----------------------------------------------------------------|---------------------------------------------|--------------|
| Product Identifier<br>FEHLING SOLUTION B                             |                                                                 | Product Use<br>Laboratory use               |              |
| Chemical formula<br>-                                                |                                                                 | Product code<br>FS-0101                     | Molar weight |
| Chemical name / Commercial name / Synonymous<br>FEHLING'S SOLUTION B |                                                                 |                                             |              |
| Supplier's name<br>Laboratoire MAT                                   |                                                                 | Address-Street<br>610, Adanac Street        |              |
| City<br>Québec                                                       |                                                                 | Province<br>Québec                          |              |
| Postal code<br>G1C 7B7                                               | Internet<br>www.labmat.com                                      | Phone number<br>418-660-8666 / 800-890-8666 |              |
| Emergency phone                                                      | CANUTEC: 613-996-6666 CENTRE ANTI-POISON DU QUÉBEC 800-463-5060 |                                             |              |
| Date SDS<br>8/5/2019                                                 | SDS Prepared by<br>Laboratoire MAT                              | E-Mail<br>labmat@labmat.com                 |              |

## SECTION 02 - HAZARDS IDENTIFICATION

|                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Classification WHIMS / GHS</b>                                                   | Serious eye damage/eye irritation - Serious eye damage category 1<br>Acute toxicity - Oral category 4<br>Skin corrosion/irritation - Skin corrosion category 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Signal Word</b>                                                                  | DANGER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Hazards statements (H)</b>                                                       | H318 Causes serious eye damage.<br>H302 Harmful if swallowed.<br>H314 Causes severe skin burns and eye damage.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Precautionary statements (P)</b>                                                 | P264 Wash the areas of the body that have been in contact with the product after handling.<br>P280 Wear protective gloves/protective clothing/eye protection/face protection.<br>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P310 Immediately call a POISON CENTER or doctor/physician.<br>P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.<br>P270 Do not eat, drink or smoke when using this product.<br>P330 Rinse mouth.<br>P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.<br>P260 Do not breathe dust / fume / gas / mist / vapours / spray.<br>P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.<br>P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.<br>P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.<br>P321 Specific treatment (see section 4 of the SDS and on this label).<br>P363 Wash contaminated clothing before reuse.<br>P405 Store locked up. |
| <b>PICTOGRAMS</b>                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Other dangers</b>                                                                | NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|  | <b>Health</b> 3<br><b>Fire</b> 0<br><b>Reactivity</b> 0<br><b>Special danger</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

## SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

| Ingrédients (Dénomination chimique / synonymes) | Numéro CAS et tout identificateur unique | Concentration (%) |
|-------------------------------------------------|------------------------------------------|-------------------|
| Tartrate de potassium sodium tétrahydrate       | 6381-59-5                                | 23                |
| Hydroxyde de potassium                          | 1310-58-3                                | 16                |
| Eau                                             | 7732-18-5                                | Balance           |

## SECTION 04 - FIRST AID MEASURES

|                                                                        |                                                                                                                                                          |
|------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>                                                     | Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention. |
| <b>Skin contact</b>                                                    | Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.                          |
| <b>Inhalation</b>                                                      | If breathed in, move person into fresh air. If breathing is difficult, give oxygen. Consult a physician.                                                 |
| <b>Ingestion</b>                                                       | If the person is conscious, give water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.     |
| <b>Most important symptoms and effects (acute and delayed)</b>         | Ref. section 11.                                                                                                                                         |
| <b>Immediate medical attention and special treatment, if necessary</b> | In case of medical consultation, keep this sheet available.                                                                                              |
| <b>General advice</b>                                                  | Show this safety data sheet to the doctor in attendance.                                                                                                 |

## SECTION 05 - FIREFIGHTING MEASURES

|                                                                      |                                                                                                                                                                                                                                                           |
|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Flammability</b>                                                  | No                                                                                                                                                                                                                                                        |
| <b>Ignition conditions</b>                                           | Not flammable or combustible.                                                                                                                                                                                                                             |
| <b>Suitable extinguishing media</b>                                  | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.                                                                                                                                                                                  |
| <b>Unsuitable extinguishing media</b>                                | Data not available.                                                                                                                                                                                                                                       |
| <b>Hazardous combustion / decomposition products</b>                 | Hazardous decomposition products formed under fire conditions. Carbon oxides. - Potassium oxides. - Sodium oxides.                                                                                                                                        |
| <b>Special fire and explosion hazards</b>                            | May react violently with incompatible products (Ref Section 10).                                                                                                                                                                                          |
| <b>Special protective equipment and precautions for firefighters</b> | Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus. |

## SECTION 06 - ACCIDENTAL RELEASE MEASURES

|                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Methods and materials for containment and cleaning up /<br/>Personnel precautions, protective equipment</b> | Evacuate personnel to safe areas. Absorb the product with sand or vermiculite. Dilute residues with water, clean and rinse. Ensure a good ventilation of the premises. Dispose of residues in a container for disposal of hazardous materials. When handling, wear suitable safety equipment. Use breathing apparatus if necessary. Do not let product enter drains. |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## SECTION 07 - HANDLING AND STORAGE

|                                    |                                                                                                                                                                                                      |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Conditions for safe storage</b> | Air sensitive. Store in a cool, dry place. Keep container tightly closed and store away from heat, water, moisture, and incompatible products.                                                       |
| <b>Methods of handling</b>         | Ensure good ventilation. Avoid breathing vapors, spray mists or gases. Wear personal protective equipment when handling. Always ensure good ventilation. Transport according to TDG (ref Section 14) |

## SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

### Workplace control parameters

| Components                               | CAS-No.                                                                                                                                                              | Value             | Control parameters         | Basis                                                                                                                                   |
|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Potassium hydroxide                      | 1310-58-3                                                                                                                                                            | C                 | 2.000000 mg/m <sup>3</sup> | Canada. British Columbia OEL                                                                                                            |
|                                          |                                                                                                                                                                      | CEV               | 2.000000 mg/m <sup>3</sup> | Canada. Ontario OELs                                                                                                                    |
|                                          |                                                                                                                                                                      | (c)               | 2.000000 mg/m <sup>3</sup> | Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)                                                                     |
| Remarks                                  | Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required                               |                   |                            |                                                                                                                                         |
|                                          |                                                                                                                                                                      | C                 | 2.000000 mg/m <sup>3</sup> | Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants |
|                                          | A substance which may not be recirculated in accordance with section 108                                                                                             |                   |                            |                                                                                                                                         |
|                                          | C<br><br>2 mg/m <sup>3</sup> Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants |                   |                            |                                                                                                                                         |
|                                          | A substance which may not be recirculated in accordance with section 108                                                                                             |                   |                            |                                                                                                                                         |
|                                          |                                                                                                                                                                      | C                 | 2.000000 mg/m <sup>3</sup> | USA. ACGIH Threshold Limit Values (TLV)                                                                                                 |
|                                          |                                                                                                                                                                      | C                 | 2 mg/m <sup>3</sup>        | USA. ACGIH Threshold Limit Values (TLV)                                                                                                 |
| Components                               | CAS-No.                                                                                                                                                              | Value             | Control Citric acid        |                                                                                                                                         |
| POTASSIUM SODIUM TARTRATE (TETRAHYDRATE) | 6381-59-5                                                                                                                                                            | No data available | TLV, TWA, STEL             | Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)                                                                     |
|                                          |                                                                                                                                                                      | No data available | TLV, TWA, STEL             | Canada. British Columbia OEL                                                                                                            |
|                                          |                                                                                                                                                                      | No data available | TLV, TWA, STEL             | Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants |

|                            |                                                                                                                                                                                                |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Data source</b>         | Sigma-Aldrich.                                                                                                                                                                                 |
| <b>Ventilation</b>         | Fan.                                                                                                                                                                                           |
| <b>Respiratory</b>         | If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.                                                              |
| <b>Gloves</b>              | Handle with gloves.                                                                                                                                                                            |
| <b>Eyes</b>                | Safety goggles with safety shutters.                                                                                                                                                           |
| <b>Shoes</b>               | Safety shoes.                                                                                                                                                                                  |
| <b>Clothing</b>            | Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.                                     |
| <b>Engineering control</b> | Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values. |

## SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

|                                              |                                                 |
|----------------------------------------------|-------------------------------------------------|
| <b>Physical state</b>                        | Liquid.                                         |
| <b>Appearance</b>                            | Liquide incolore.                               |
| <b>Odour</b>                                 | Inodore..                                       |
| <b>Odour threshold</b>                       | Data not available                              |
| <b>pH</b>                                    | ~12.                                            |
| <b>Melting point / Freezing point</b>        | Data not available                              |
| <b>Initial boiling point</b>                 | Data not available                              |
| <b>Boiling range</b>                         | Data not available                              |
| <b>Flash point</b>                           | Data not available                              |
| <b>Evaporation rate</b>                      | Data not available                              |
| <b>Flammability</b>                          | No                                              |
| <b>Lower flammable / Explosive limit</b>     | Data not available                              |
| <b>Upper flammable / Explosive limit</b>     | Data not available                              |
| <b>Vapour pressure</b>                       | Data not available                              |
| <b>Solubility</b>                            | Très soluble dans l'eau. Soluble dans l'alcool. |
| <b>Vapour density</b>                        | Data not available                              |
| <b>Relative density</b>                      | 1.43g/ml                                        |
| <b>Partition coefficient water/n-octanol</b> | Data not available                              |
| <b>Auto-ignition temperature</b>             | Data not available                              |
| <b>Decomposition temperature</b>             | Data not available                              |
| <b>Viscosity</b>                             | Data not available                              |

## SECTION 10 - STABILITY AND REACTIVITY

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reactivity</b>                                                                                | Non-reactive under normal conditions.                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Chemical stability</b>                                                                        | Stable under recommended storage conditions.                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Possibility of hazardous reactions</b>                                                        | Stable under normal conditions.                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Conditions of instability (Including sensitivity to shock / static discharge / vibration)</b> | Avoid heat and excessive moisture.                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Incompatible material</b>                                                                     | When pure, the products react with the following products: Strong oxidizing agents (nitric acid, perchloric acid, peroxides, chlorates and perchlorates), strong acids, chlorides and acid anhydrides, acrolein, acrylonitrile, alcohols, aluminum, organo-nitro and organochlorine compounds, copper, cyclopentadiene, tin, magnesium, organic materials, lead, sugars, zinc, heat, water and moisture. Silver nitrate, magnesium sulfate, calcium and lead salts. |
| <b>Hazardous decomposition products</b>                                                          | Toxic vapors of carbon monoxide and carbon dioxide. Toxic vapors of potassium oxides. - Sodium oxides.                                                                                                                                                                                                                                                                                                                                                              |

## SECTION 11 - TOXICOLOGICAL INFORMATION

## POTASSIUM HYDROXIDE

|                                                  |                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Routes of exposure</b>                        | Ingestion, inhalation, skin and eyes.                                                                                                                                                                                                                                                                                                         |
| <b>Acute exposition effects / symptoms:</b>      | By exposure route below.                                                                                                                                                                                                                                                                                                                      |
| <b>- Eyes</b>                                    | Severe irritation and burns that may cause permanent eye damage.                                                                                                                                                                                                                                                                              |
| <b>- Skin</b>                                    | Irritation, burns and ulcerations of the tissues.                                                                                                                                                                                                                                                                                             |
| <b>- Inhalation</b>                              | Spasms, irritation and inflammation of the nose, throat and lungs. Edema of the larynx and bronchi. Chemical pneumonitis and pulmonary edema that can lead to death.                                                                                                                                                                          |
| <b>Acute toxicity (Ingestion)</b>                | Burns and ulcerations of the mouth, throat, esophagus and abdominal wall. Dysphagia, abdominal pain, cramps, diarrhea, melena, possibility of oesophageal and gastric perforations, bloody vomiting with mucous membrane fragments, tremors and convulsions, stupor, circulatory collapse, loss of consciousness, coma and can lead to death. |
| <b>Chronic exposure effects / symptoms</b>       | Burning sensation, dermatitis, conjunctivitis, lung and eye damage, nerve disorders, chest pain, cough, dyspnea, laryngitis, headache, dizziness, confusion, irritability, sweating, salivation, tearing, fatigue, alopecia, loss weight loss and loss of appetite, seizures, nausea and vomiting.                                            |
| <b>DL50 (specify species and route of entry)</b> | LD50 Oral - Rat - 273 mg/kg. LD50 Dermal - Data not available.                                                                                                                                                                                                                                                                                |
| <b>CL50 (specify species and route of entry)</b> | LC50 - Inhalation - Data not available.                                                                                                                                                                                                                                                                                                       |

## POTASSIUM SODIUM TARTRATE (TETRAHYDRATE)

|                                                  |                                                                                                                                     |
|--------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <b>Routes of exposure</b>                        | Ingestion, inhalation, skin and eyes.                                                                                               |
| <b>Acute exposition effects / symptoms:</b>      | By exposure route below.                                                                                                            |
| <b>- Eyes</b>                                    | Irritation and tearing.                                                                                                             |
| <b>- Skin</b>                                    | Irritation.                                                                                                                         |
| <b>- Inhalation</b>                              | Irritation of the mucous membranes and respiratory tract.                                                                           |
| <b>Acute toxicity (Ingestion)</b>                | Irritation of the mucous membranes. Gastrointestinal disorders, cramps, diarrhea, headache, dizziness, nausea and vomiting.         |
| <b>Chronic exposure effects / symptoms</b>       | Burning sensation, nervous disorders, cough, dyspnea, headache, dizziness, confusion, irritability, tiredness, nausea and vomiting. |
| <b>DL50 (specify species and route of entry)</b> | Data based on the anhydrous product: LD50 Oral - Rat - 920-5000 mg/kg. LD50 Dermal - Data not available.                            |
| <b>CL50 (specify species and route of entry)</b> | Data not available.                                                                                                                 |

## SUMMARY

|                                             |                                                                                                     |
|---------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Acute exposure effects / Symptoms:</b>   | By exposure routes below.                                                                           |
| <b>Ingestion</b>                            | To our knowledge, the product has not been fully evaluated                                          |
| <b>Inhalation</b>                           | To our knowledge, the product has not been fully evaluated                                          |
| <b>Skin</b>                                 | To our knowledge, the product has not been fully evaluated                                          |
| <b>Eyes</b>                                 | To our knowledge, the product has not been fully evaluated                                          |
| <b>Chronic exposure effects / Symptoms:</b> | To our knowledge, the product has not been fully evaluated                                          |
| <b>ETA Mix (Estimated Acute Toxicity)</b>   | LD50 Oral: 1310 mg/kg - Rat<br>LD50 Dermal: No data available<br>LC50 Inhalation: No data available |

## SECTION 12 - ECOLOGICAL INFORMATION

|                                      |                                                                                                                          |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Ecotoxicity</b>                   | Potassium hydroxide: Toxicity to fish: LC50 - Gambusia affinis (wild guppy) - 80 mg / l - 96 h                           |
| <b>Persistence and degradability</b> | Data not available.                                                                                                      |
| <b>Bioaccumulative potential</b>     | Data not available.                                                                                                      |
| <b>Mobility in soil</b>              | Data not available.                                                                                                      |
| <b>Other adverse effects</b>         | Harmful to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. |

## SECTION 13 - DISPOSAL CONSIDERATIONS

|                        |                                                                                                                                                              |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste Disposal Method  | Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company. |
| Contaminated Packaging | Dispose of as unused product.                                                                                                                                |

## SECTION 14 - TRANSPORT INFORMATION

|                            |                                                                       |
|----------------------------|-----------------------------------------------------------------------|
| UN Number                  | 3266                                                                  |
| UN Proper shipping name    | LIQUIDE INORGANIQUE CORROSIF, BASIQUE, N.S.A (hydroxyde de potassium) |
| Transport hazard class(es) | 8 Corrosive substances                                                |
| Packing group              | II                                                                    |
| Limited quantity index     | 1L                                                                    |
| ERAP Index                 | -                                                                     |
| Special precautions        | 16                                                                    |

## SECTION 15 - REGULATORY INFORMATION

|              |                                                                                                                                                                |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WHIMS CANADA | Serious eye damage/eye irritation - Serious eye damage category 1<br>Acute toxicity - Oral category 4<br>Skin corrosion/irritation - Skin corrosion category 1 |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|

## SECTION 16 - OTHER INFORMATION

### Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 8/5/2019