



Centre Anti-Poison pour le Québec: (800) 463-5060

Tél. (Qc): (418) 660-8666 / 800-890-8666

Fax. (Qc): (418) 660-8998


SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier FORMALDEHYDE 10%P/P		Product Use Laboratory use	
Chemical formula HCHO		Product code FS-0810	Molar weight 30,03
Chemical name / Commercial name / Synonymous FORMALDEHYDE, ALDÉHYDE FORMIQUE, ALDÉHYDE DE MÉTHYLE, OXYDE DE MÉTHYLÈNE, OXOMÉTHANE, OXYMÉTHYLÈNE, POLYOXYMÉTHYLÈNE GLYCOL, METHANAL, MORBICID			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666 CENTRE ANTI-POISON DU QUÉBEC 800-463-5060		
Date SDS 8/26/2020	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Serious eye damage/eye irritation - Serious eye damage category 1 Carcinogenicity category 1A Specific Target Organ Toxicity - Single exposure category 1 Specific Target Organ Toxicity - Repeated exposure category 1 Respiratory or skin sensitization - Skin sensitize category 1 Germ cell mutagenicity category 2 Skin corrosion/irritation - Skin corrosion category 1 Acute toxicity - Inhalation category 4	
Signal Word	DANGER	
Hazards statements (H)	H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects . H350 May cause cancer. H370 Causes damage to organs.. H372 Causes damage to organs through prolonged or repeated exposure. H332 Harmful if inhaled.	
Precautionary statements (P)	P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust / fume / gas / mist / vapours / spray. P261 Avoid breathing dust / fume / gas / mist / vapours / spray. P264 Wash the areas of the body that have been in contact with the product after handling. P270 Do no eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P311 IF exposed or concerned: Call a POISON CENTER or a doctor. P308 + P313 IF exposed or concerned: Get medical advice/attention. P310 Immediately call a POISON CENTER or doctor/physician. P314 Get medical advice/attention if you feel unwell. P321 Specific treatment (see section 4 of the SDS and on this label). P333 + P313 If skin irritation or rash occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company. P312 Call a POISON CENTER or doctor/physician if you feel unwell.	
PICTOGRAMS		
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)	
	Health	2
	Fire	1



Reactivity 0
Special danger

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Formaldéhyde	50-00-0	10
Méthanol	67-56-1	2-4
Eau	7732-18-5	Balance

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	If breathed in, move person into fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	No longer flammable at this concentration. But remains combustible. Flame directly on the product or intense heat.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. Carbon oxides.
Special fire and explosion hazards	When concentrated, the product reacts according to the following characteristics: Combustible liquid. Moderate risks of fire or explosion in the presence of heat or flame. Vapors may form flammable or explosive mixtures with air. Violent reactions with perchloric acid + aniline, performic acid, magnesium carbonate, nitromethane and hydrogen peroxide. May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personal precautions, protective equipment	Evacuate personnel to safe areas. Absorb the product with sand or vermiculite. Dilute residues with water, clean and rinse. Ensure a good ventilation of the premises. When handling, wear appropriate safety equipment. Use a respirator as needed. Dispose of residues in a container provided for the disposal of hazardous materials. Do not let product enter drains.
--	--

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Store in a cool, dry place. Protect from the sun's rays. Keep container tightly closed and store away from heat, water, moisture, and incompatible products. Use venting and electrical equipment that is grounded and does not produce ignition sources (sparks).
Methods of handling	Always open containers slowly to allow any excess pressure to vent. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Wear personal protective equipment when handling. Always ensure good ventilation. Transport according to TDG (ref Section 14)

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Composants	No.-CAS	Valeur	Paramètres de contrôle	Base
Formaldéhyde	50-00-0	(c)	1.000000 ppm 1.300000 mg/m3	Canada. Alberta, Code de santé et de sécurité au travail (tableau 2 : VLE)
Remarques	cancérogène classe A1 pour l'homme			
		TWA	0.750000 ppm 0.900000 mg/m3	Canada. Alberta, Code de santé et de sécurité au travail (tableau 2 : VLE)
	cancérogène classe A1 pour l'homme			
		TWA	0.300000 ppm	Canada. LEP Colombie Britannique
	cancérogène classe A1 pour l'homme			
		C	1.000000 ppm	Canada. LEP Colombie Britannique
	cancérogène classe A1 pour l'homme			
		P	2.000000 ppm 3.000000 mg/m3	Québec. Règlement sur la santé et la sécurité du travail, Annexe 1 Partie 1: Valeurs d'exposition admissibles des contaminants de l'air
	Cancérogène classe A1 pour l'homme. Une substance dont la recirculation est prohibée conformément à l'article 108.			
Components	CAS-No.	Value	Control parameters	Basis
Methanol	67-56-1	TWA	200.000000 ppm 262.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks	Substance may be readily absorbed through intact skin			
	STEL 250.000000 ppm 328.000000 mg/m3 Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)			
	Substance may be readily absorbed through intact skin			
		TWA	200.000000 ppm	Canada. British Columbia OEL
	Contributes significantly to the overall exposure by the skin route.			
		STEL	250.000000 ppm	Canada. British Columbia OEL
	Contributes significantly to the overall exposure by the skin route.			
		TWAEV	200.000000 ppm 262.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
	Skin (percutaneous)			
		STEV	250.000000 ppm 328.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
	Skin (percutaneous)			
		TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	250.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)

Data source	Sigma-Aldrich (Millipore Sigma)
Ventilation	Fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat. The type of protective equipment must be selected according to the concentration and amount

	of the dangerous substance at the specific workplace.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.
Appearance	Liquide incolore-
Odour	Forte, piquante..
Odour threshold	Data not available
pH	Donnée non-disponible.
Melting point / Freezing point	Data not available
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Solubility	Miscible avec l'eau, l'alcool et l'acétone.
Vapour density	Data not available
Relative density	Data not available
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions. Vapours may form explosive mixture with air.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Avoid contact with incompatible materials and extreme temperatures. Heat, flames, sparks. In contact with air, formaldehyde oxidizes to formic acid which is unstabilized and causes polymerization (deposition).
Incompatible material	Acids, Oxidants, Acid Chlorides, Acid Anhydrides, Alkali Metals, Reducing Agents. Strong bases. Isocyanates. Nitriles. Amines. Aniline. Phenol.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Carbon oxides. Paraformaldehyde. Contains methanol as stabiliser 10-15%.

SECTION 11 - TOXICOLOGICAL INFORMATION

FORMALDEHYDE 37%

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Severe irritation and burns that may cause permanent eye damage.
- Skin	Irritation and dermatitis. Prolonged skin contact may result in an allergic reaction characterized mainly by erythematous or eczematous lesions.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Pains in the chest, respiratory allergies, cough, dyspnea, headache, dizziness, watery eyes, congestion, bronchial spasms and may lead to pulmonary edema.
Acute toxicity (Ingestion)	Irritation and burning of the esophagus and stomach. Abdominal pain, cramps, diarrhea, nausea and vomiting, hematemesis, acidosis, hematuria, anuria, vertigo, pallor, blindness, convulsions, stupor, respiratory collapse, coma and can lead to death.
Chronic exposure effects / symptoms	Is recognized as a carcinogen (class 1) by IARC. Burning sensation, dermatitis, conjunctivitis, chest pain, eye and lung damage, respiratory and skin allergies, cough, dyspnoea, bronchitis, dry throat, headache, dizziness, confusion, irritability, tearing, choking, sleep, intense thirst, sweating, salivation, fatigue, paleness, muscle weakness, weight loss and loss of appetite, convulsions, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 460 mg/kg. LD50 Dermal - Data not available.
CL50 (specify species and route of entry)	LC50 Inhalation - Rat - 4h - 463 ppm.

METHANOL

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	May cause eye irritation.
- Skin	Irritation and dermatitis.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Narcotic effects, chest pain, cough, dyspnea, headache, dizziness, watery eyes, paresthesia, nystagmus, drowsiness, confusion, nausea and vomiting.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Narcotic effects, liver, kidney and eye damage, abdominal pain, cramps, diarrhea, headache, dizziness, paresthesia, nystagmus, drowsiness, incoordination, acidosis, nausea and vomiting, seizures, hypotension, respiratory collapse, loss of consciousness, coma and can lead to death. Acute absorption of methanol can cause blindness. Damage to: liver, kidneys, eyes, heart, central nervous system.
Chronic exposure effects / symptoms	Headache, dizziness, nausea, visual disturbances, decreased visual acuity, liver and kidney damage.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 1187 mg/kg LD50 Dermal - Lapin-15840 mg/kg
CL50 (specify species and route of entry)	LC50 Inhalation - Rat: 64000 ppm/4 h. LC50 Inhalation - Rat 115.9-130.7mg/L air / 4h.

SUMMARY

Acute exposure effects / Symptoms:	By exposure routes below.
Ingestion	To our knowledge, the product has not been fully evaluated
Inhalation	To our knowledge, the product has not been fully evaluated
Skin	To our knowledge, the product has not been fully evaluated
Eyes	To our knowledge, the product has not been fully evaluated
Chronic exposure effects / Symptoms:	To our knowledge, the product has not been fully evaluated
ETA Mix (Estimated Acute Toxicity)	LD50 Oral: 4050 mg/kg - Rat LD50 Dermal: > 5000 mg/kg - Rabbit LC50 Inhalation: 4704 ppm - 4h - Rat

SECTION 12 - ECOLOGICAL INFORMATION

Available ecological information	No
---	----

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	3334
UN Proper shipping name	MATIÈRE LIQUIDE RÉGLEMENTÉE POUR L'AVIATION, N.S.A. (formaldéhyde)
Transport hazard class(es)	9 Miscellaneous dangerous goods/hazardous material
Packing group	III
Limited quantity index	OL
ERAP Index	-
Special precautions	16, 63

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Serious eye damage/eye irritation - Serious eye damage category 1 Carcinogenicity category 1A Specific Target Organ Toxicity - Single exposure category 1 Specific Target Organ Toxicity - Repeated exposure category 1 Respiratory or skin sensitization - Skin sensitize category 1 Germ cell mutagenicity category 2 Skin corrosion/irritation - Skin corrosion category 1 Acute toxicity - Inhalation category 4
--------------	---

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 8/26/2020