




SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier POTASSIUM PERMANGANATE (0.2N)		Product Use Laboratory use	
Chemical formula KMnO ₄		Product code PS-0002	Molar weight 158,04
Chemical name / Commercial name / Synonymous SEL POTASSIQUE DE L'ACIDE PERMANGANIQUE, CAIROX, CRISTAUX DE CONDY, SEL POURPRE, MINERAL CAMÉLÉON			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 Lun-Ven 8h-16h	
Emergency phone	418-660-8666 Lun-Ven 8h-16h	CENTRE ANTI-POISON DU QUÉBEC 800-463-5060	
Date SDS 5/13/2024	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Not a hazardous substance according to WHMIS 2015
Signal Word	
Hazards statements (H)	LMH001 Not a dangerous substance or mixture according to the Canada WHMIS 2015.
Precautionary statements (P)	LMP001 The use of this product does not present any particular risk. However, standard laboratory safety precautions such as wearing gloves, clothing and eye protection should be followed.
PICTOGRAMS	
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Significant; 4=Extreme)
	Health 1 Fire 0 Reactivity 0 Special danger

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%P/P)
PERMANGANATE DE POTASSIUM (0.2N)	7722-64-7	0.63

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Main symptoms of high exposure: Gastrointestinal disorders. Dark brown coloration of the skin. Chemical burns of the skin, eyes and respiratory and digestive mucous membranes. Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Risk of fire or explosion if heated or crushed in presence of combustible products. Dust can explode if mixed in the air and ignited in an enclosed space.
Suitable extinguishing media	Use water to extinguish the fire
Unsuitable extinguishing media	Do not use a heavy water stream. Do not use carbon dioxide. Do not use dry chemicals or foam. CO2 or halon can provide limited control.
Hazardous combustion products	Hazardous combustion products formed under fire conditions: - Potassium oxides. - Manganese/manganese oxides.
Specific hazards of the dangerous product	In the event of a fire, the water in the solution will evaporate, and the oxidizing base product will fuel the fire. Powerful oxidizer Can ignite organic and combustible materials.
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personnel precautions, protective equipment	Evacuate personnel to safe areas. Absorb the product with sand or vermiculite. Dilute residues with water, clean and rinse. Ensure a good ventilation of the premises. Dispose of residues in a container for disposal of hazardous materials. When handling, wear suitable safety equipment. Use breathing apparatus if necessary. Do not let product enter drains.
--	--

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Store in a cool, dry place. Keep container tightly closed and store away from heat, moisture, combustible and incompatible products. Store in a well-ventilated area. Protect from light and sunlight.
Methods of handling	Avoid contact with the skin, eyes and clothes. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition. Avoid ingestion and inhalation. Wear personal protective equipment when handling. Always ensure good ventilation.

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Potassium permanganate	7722-64-7	TWA	0.200000 mg/m ³	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks				
		TWAEV	5.000000 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
	TWA 0.200000 mg/m ³ Canada. British Columbia OEL			
	Adverse reproductive effect			
		TWAEV	0.200000 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	0.2 mg/m ³	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TWAEV	0.2 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	0.2 mg/m ³	Canada. British Columbia OEL
	Adverse reproductive effect			
		TWA	0.200000 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		TWA	0.100000 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		TWA	0.020000 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		TWA	0.1 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		TWA	0.02 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
Data source		Sigma-Aldrich (Millipore Sigma)		
Ventilation		Fan.		
Respiratory		If permitted levels are exceeded, use NIOSH cartridge respiratory protection, or an air-supplied respirator.		
Gloves		Handle with gloves.		
Eyes		Safety goggles with safety shutters.		
Shoes		Use safety shoes.		
Clothing		Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.		
Engineering control		Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.		

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.
Appearance	Liquide mauve-
Odour	inodore.
Odour threshold	Data not available
pH	5-6.
Melting point / Freezing point	Data not available
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Solubility	Soluble dans l'eau (65g/L @ 20°C) (KMnO4).
Vapour density	Data not available
Relative density	1.005g/ml
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Oxidizer: risk of fire in case of contact with combustible / organic substance. May react violently with incompatible substances.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Oxidizer. May react violently with incompatible substances.
Conditions to avoid, including static discharge, shock or vibration	Avoid contamination with organic matter and other rapidly oxidizable substances. Avoid excessive heat. Avoid contact with incompatible materials. Solutions are unstable to light and air.
Incompatible materials	Strong reducing agents (potassium, sodium, metal hydrides), acids, glycerin, alcohols, bases, bromides, ferrous and mercurous compounds, hypophosphites, hyposulphites, iodides, organic and combustible materials, fine metal powders and their alloys (aluminum, copper, lead, zinc), oxalates, peroxides, sulphites, heat and moisture.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. - Potassium oxides. - Manganese/manganese oxides.

SECTION 11 - TOXICOLOGICAL INFORMATION

POTASSIUM PERMANGANATE

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Severe irritation and burns that may cause permanent eye damage.
- Skin	Irritation and dermatitis. The skin can take a dark brown coloration.
- Inhalation	Spasms, irritation and inflammation of the nose, throat and lungs. Edema of the larynx and bronchi. Chemical pneumonitis and pulmonary edema that can lead to death.
Acute toxicity (Ingestion)	Brown Coloration of the digestive tract. Cough, noisy breathing, possibility of jaundice, oliguria, anuria, edema and possible necrosis of the mucous membranes of the mouth and pharynx, slowing of the pulse, shock (drop of blood pressure), methaemoglobinaemia, cyanosis, convulsions, collapse Respiratory, loss of consciousness, coma and can lead to death.
Chronic exposure effects / symptoms	Burning Sensation, dermatitis, nervous disorders, kidney damage, chest pain, cough, dyspnea, laryngitis, headache, dizziness, tearing, suffocation, noisy breathing, confusion, irritability, sweating, salivation, fatigue, Fever, anemia, methaemoglobinaemia, weight loss and loss of appetite, convulsions, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 750 mg/kg. LD50 Dermal - Rat - 2000 mg/kg
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

SECTION 12 - ECOLOGICAL INFORMATION

Available ecological information	Yes
Ecotoxicity	Potassium permanganate: Toxicity to fish: LC50 - Oncorhynchus mykiss (rainbow trout) - 0.3 - 0.6 mg/l - 96.0 h. Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia (water flea) - 0.084 mg/l - 48 h.
Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
Bioaccumulative potential	Remarks: Can accumulate in aquatic organisms. Bioaccumulation Lamellibranchia (muschel) - Bioconcentration factor (BCF): < 10,000
Mobility in soil	Probable mobility due to its solubility in water.
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents and container in accordance with local, regional and national regulations, or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

SECTION 15 - REGULATORY INFORMATION

WHMIS CANADA	Not a hazardous substance according to WHMIS 2015
--------------	---

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 5/13/2024