



Centre Anti-Poison pour le Québec: (800) 463-5060

Tél. (Qc): (418) 660-8666 / 800-890-8666


Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier PHOSPHORIC ACID (1.0N)		Product Use Laboratory use	
Chemical formula H ₃ PO ₄		Product code PS-0801	Molar weight 98
Chemical name / Commercial name / Synonymous Orthophosphoric acid			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666 CENTRE ANTI-POISON DU QUÉBEC 800-463-5060		
Date SDS 10/15/2018	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Corrosive to metals-Category 1 Serious eye damage/eye irritation - Serious eye damage category 1 Skin corrosion/irritation - Skin corrosion category 1	
Signal Word	DANGER	
Hazards statements (H)	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.	
Precautionary statements (P)	P234 Keep only in original container. P260 Do not breathe dust / fume / gas / mist / vapours / spray. P264 Wash the areas of the body that have been in contact with the product after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. P321 Specific treatment (see section 4 of the SDS and on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P405 Store locked up. P406 Store in a corrosion resistant container / or a container with corrosion resistant liner. P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.	
PICTOGRAMS		
Other dangers	NFA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)	
	Health 2 Fire 0 Reactivity 0 Special danger	

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
ACIDE PHOSPHORIQUE	7664-38-2	3

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Not flammable or combustible.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Not applicable.
Hazardous combustion / decomposition products	Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine Hazardous decomposition products formed under fire conditions.
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personnel precautions, protective equipment	Evacuate personnel to safe areas. Absorb the product with sand or vermiculite. Dilute residues with water, clean and rinse. Ensure a good ventilation of the premises. Dispose of residues in a container for disposal of hazardous materials. When handling, wear suitable safety equipment. Use breathing apparatus if necessary. Avoid breathing vapours, mist or gas.
--	---

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Keep container tightly closed in a dry and well-ventilated place. Keep container tightly closed and store away from heat, water, moisture, and incompatible products. Protect from freezing.
Methods of handling	Avoid inhalation of vapour or mist.

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Phosphoric acid	7664-38-2	TWA	1.000000 mg/m ³	Canada. British Columbia OEL
		STEL	3.000000 mg/m ³	Canada. British Columbia OEL
		TWA	1.000000 mg/m ³	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required			
		STEL	3.000000 mg/m ³	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required			
		TWAEV	1.000000 mg/m ³	Canada. Ontario OELs
		STEV	3.000000 mg/m ³	Canada. Ontario OELs
		TWAEV	1.000000 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWAEV	1 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		STEV	3.000000 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		STEV	3 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	1.000000 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		TWA	1 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		STEL	3.000000 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		STEL	3 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)

Data source	Sigma-Aldrich
Ventilation	Use fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Use safety shoes.
Clothing	Labcoat.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.
Appearance	Clair, incolore, visqueux-
Odour	inodore.
Odour threshold	Data not available
pH	<1 @1%.
Melting point / Freezing point	41.1 °C (H ₃ PO ₄)°C
Initial boiling point	296.5 °C (H ₃ PO ₄)°C
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	2.933 - 4 Pa @ 20 - 25 °C (H ₃ PO ₄)-
Solubility	Miscible avec l'eau en toutes proportions..
Vapour density	Data not available
Relative density	1.685 g/ml (H ₃ PO ₄ 85%)-
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Avoid contact with incompatible materials and extreme temperatures.
Incompatible material	The product releases explosive hydrogen gas when it reacts with chlorides and stainless steel. May react violently with sodium borohydride. Exothermic reactions with the following materials: aldehydes, amides, amines, alcohols and glycols, azo compounds, carbamates, esters, caustics, phenols and cresols, ketones, organophosphates, epoxides, explosives, combustible materials, unsaturated halides and organic peroxides. Phosphoric acid forms flammable gases with sulphides, thiols, cyanides and aldehydes. It also forms toxic fumes with cyanides, sulfides, fluorides, organic peroxides and halogenated organic compounds. Mixtures with nitromethane are explosive.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine Hazardous decomposition products formed under fire conditions.

SECTION 11 - TOXICOLOGICAL INFORMATION

PHOSPHORIC ACID

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Causes eye burns.
- Skin	May be harmful if absorbed through skin. Irritation and dermatitis. Causes skin burns.
- Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Coughing, shortness of breath, headaches and confusion may occur. Vapors may cause pulmonary edema. Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath. Can cause chemical bronchitis.
Acute toxicity (Ingestion)	May be harmful if swallowed. Causes nausea. Vomiting. Diarrhea. Aspiration into the lungs may occur during ingestion or vomiting, resulting in lung injury. May cause severe pain in the mouth, chest and abdomen, leading to cough, vomiting and collapse.
Chronic exposure effects / symptoms	The product is extremely destructive of the tissues of the mucous membranes, upper respiratory tract, eyes and skin. Burning sensation, cough, asthma, laryngitis, respiratory failure, spasm, inflammation and edema of the larynx, spasm, inflammation and bronchial edema, pulmonary congestion, pulmonary edema. Dermatitis. To our knowledge, the chemical, physical and toxicological properties have not been fully investigated.
DL50 (specify species and route of entry)	LD50 Rat oral 1530 mg/kg LD50 Rabbit skin 2740 mg/kg
CL50 (specify species and route of entry)	LC50 Rabbit inhalation 1.689 mg/L 1 hr

SUMMARY

Acute exposure effects / Symptoms:	By exposure routes below.
Ingestion	To our knowledge, the product has not been fully evaluated
Inhalation	To our knowledge, the product has not been fully evaluated
Skin	To our knowledge, the product has not been fully evaluated
Eyes	To our knowledge, the product has not been fully evaluated
Chronic exposure effects / Symptoms:	To our knowledge, the product has not been fully evaluated
ETA Mix (Estimated Acute Toxicity)	LD50: >5000 mg/kg -Oral Rat LD50: >5000 mg/kg -Dermal Rabbit LC50: >500 mg/L- 1h - Inhalation Rabbit

SECTION 12 - ECOLOGICAL INFORMATION

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	1805
UN Proper shipping name	ACIDE PHOSPHORIQUE LIQUIDE
Transport hazard class(es)	8 Corrosive substances
Packing group	III
Limited quantity index	5L
ERAP Index	-
Special precautions	-

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Corrosive to metals-Category 1 Serious eye damage/eye irritation - Serious eye damage category 1 Skin corrosion/irritation - Skin corrosion category 1
--------------	--

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 10/15/2018