



SAFETY DATA SHEET

SECTION 01 - IDENTIFICATION

Product Identifier	SODIUM THIOSULFATE (1.0N)
Other identification (Chemical name, Commercial name, Synonymous)	SODIUM HYPOSULFITE; THIOSULFURIC ACID, DISODIUM SALT; THIOSULFURIC ACID-H ₂ S ₂ O ₃ , DISODIUM SALT; ANHYDROUS SODIUM THIOSULFATE.
Product code	SS-0608
Chemical formula	Na ₂ S ₂ O ₃
Molar weight	158
Recommended use and Restrictions on use	For laboratory, school, commercial or industrial use. Not for medical or household use. Do not use for medical, food or household purposes.
Supplier	LABORATOIRE MAT 610, rue Adanac Québec Québec G1C 7B7 418-660-8666 Mon-Fri 8h-16h www.labmat.com labmat@labmat.com
Emergency phone	418-660-8666 Mon-Fri 8h-16h CENTRE ANTI-POISON DU QUÉBEC 800-463-5060
Date SDS	2026-06-03

SECTION 02 - HAZARDS IDENTIFICATION

WHIMS CANADA	- Not a hazardous substance according to WHMIS
Hazards statements (H)	- Not a dangerous substance or mixture according to the Canada WHMIS
Precautionary statements (P)	- The use of this product does not present any particular risk. However, standard laboratory safety precautions such as wearing gloves, clothing and eye protection should be followed.
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme) Health 0 Fire 0 Reactivity 0 Special danger

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Component	No. CAS	% Weight
SODIUM THIOSULFATE (ANHYDROUS)	7772-98-7	14%

SECTION 04 - FIRST AID MEASURE

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove contaminated clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	When concentrated, high exposure to the product causes the following main symptoms: Skin, eye and respiratory system irritation. Diarrhea. To our knowledge, the chemical, physical and toxicological properties have not been fully investigated. Ref. section 11.
Immediate medical attention and special treatment, if necessary	Treat according to symptoms. Show this sheet to the attending physician.

SECTION 05 - FIREFIGHTING MEASURES

Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Combustion products	Hazardous combustion products formed under fire conditions: Sodium oxides. Sulfur oxides.
Specific hazards of the dangerous product	When concentrated, the product reacts according to the following characteristics: May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency measures	Evacuate personnel to safe areas. When handling, wear appropriate safety equipment (reference Section 8 for protective equipment to be used). Ensure a good ventilation. Use NIOSH cartridge respiratory protection if necessary or for larger spills.
Methods and materials for containment and cleaning up	Absorb the product with sand or vermiculite. Dilute residues with water, clean and rinse. Dispose of residues in a container for disposal of hazardous materials. Discharge into the environment must be avoided.

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Store in a cool, dry, and well-ventilated place. Keep container tightly closed and store away from heat, water, moisture, and incompatible products (ref. section 10). Hygroscopique
Methods of handling	Avoid contact with eyes, skin and clothing. Avoid ingestion and inhalation. Wear personal protective equipment (ref. section 8) when handling. Always ensure good ventilation. Apply the usual standard hygiene rules: Wash your hands after use. Do not eat or drink during use.

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

WORKPLACE CONTROL PARAMETERS

Component	CAS-No.	Value
SODIUM THIOSULFATE (ANHYDROUS)	7772-98-7	No occupational exposure limits established by region-specific regulators - Quebec, Alberta, Ontario, British Columbia.

Respiratory

If work under the hood is not possible, or if the permissible levels are exceeded, use NIOSH cartridge respiratory protection, or an air-supplied respirator.

Gloves

Handle with protective gloves. Suggested material: Nitrile. Butyl. Neoprene. The type, thickness and length of the glove must be chosen according to the use, the concentration of the product, as well as the duration of use. Replace gloves regularly for better protection.

Eyes

Safety goggles with safety shutters.

Shoes

Use safety shoes.

Clothes

Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Engineering control

Use fan. Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid
Color	Colorless
Odour	Data not available
Odour threshold	Data not available
Melting point and freezing point	Data not available
Boiling point	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Flash point	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
pH	6
Kinematic viscosity	Data not available
Solubility	Soluble in water. Insoluble in alcohol. Water solubility 210 g/l at 20 °C (68 °F).
Partition coefficient water/n-octanol	Data not available
Vapour pressure	Data not available
Relative density	1.1g/ml @20°C
Vapour density	Data not available
Particle characteristics	Not applicable

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	May react violently with incompatible substances.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	May react violently with incompatible substances.
Conditions to avoid	Avoid moisture. Avoid contact with incompatible materials and extreme temperatures.
Incompatible materials	When pure, the product reacts with the following products: Strong oxidizers. Strong acids. Iodine. Metal salts. Mercury salts.
Hazardous decomposition products	Sodium oxide. Sulfur oxides.

SECTION 11 - TOXICOLOGICAL INFORMATION

SODIUM THIOSULFATE (1.0N)

Routes of exposure	Ingestion, inhalation, skin and eye contact.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation. Tearing To our knowledge, the chemical, physical and toxicological properties have not been fully investigated.
- Skin	Irritation. Dermatitis. To our knowledge, the chemical, physical and toxicological properties have not been fully investigated.
- Inhalation	Irritation of the mucous membranes and respiratory tract. To our knowledge, the chemical, physical and toxicological properties have not been fully investigated.
Acute toxicity (Ingestion)	Mucous membrane irritation. To our knowledge, the chemical, physical and toxicological properties have not been fully investigated.
Chronic exposure effects / symptoms	To our knowledge, the chemical, physical and toxicological properties have not been fully investigated.
DL50 (specify species and route of entry)	ETA Mix (Estimated Acute Toxicity): LD50 Oral - Rat - >5000mg/kg. LD50 Dermal - Rabbit - >5000mg/kg.
CL50 (specify species and route of entry)	ETA Mix (Estimated Acute Toxicity) LC50 Inhalation - Rat - 4 h - >10mg/L.

SODIUM THIOSULFATE (ANHYDROUS)

Routes of exposure	Ingestion, inhalation, skin and eye contact.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation. Tearing
- Skin	Irritation. Dermatitis.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders. Cough. Dyspnoea. Headaches. Dizziness. Nausea and vomiting.
Acute toxicity (Ingestion)	Mucous membrane irritation. Gastrointestinal disorders. Cramps. Diarrhea. Headaches. Dizziness. Drowsiness. Confusion. Cyanosis. Nausea and vomiting.
Chronic exposure effects / symptoms	Burning sensation. Dermatitis. Nervous disorders. Cough. Dyspnoea. Headache. Dizziness. Drowsiness. Confusion. Irritability. Fatigue. Nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - >5000mg/kg. LD50 Dermal - Rabbit - 2000mg/kg.
CL50 (specify species and route of entry)	LC50 Inhalation - Rat - 4 h - 2.6 - 5.5 mg/L.

SECTION 12 - ECOLOGICAL INFORMATION

SODIUM THIOSULFATE (1.0N)

Ecotoxicity	Data not available.
Persistence and degradability	Data not available.
Bioaccumulative potential	Data not available.
Mobility in soil	Probable mobility in the environment due to its solubility in water.
Other adverse effects	Data not available.

SODIUM THIOSULFATE (ANHYDROUS)

Ecotoxicity	Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 24 000 mg/l - 96 h.
Persistence and degradability	Data not available.
Bioaccumulative potential	Data not available.
Mobility in soil	Probable mobility in the environment due to its solubility in water.
Other adverse effects	Data not available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents and container in accordance with local, regional and national regulations, or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	- Not a hazardous substance according to WHMIS
---------------------	--

SECTION 16 - OTHER INFORMATION

CNESST: Commission des normes, de l'équité et de la santé et sécurité au travail

NIH: National institute of health (U.S. National Library of Medicine)

ECHA: Agence Européenne de Chimie

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

VECD: Valeur d'exposition courte durée

VEMP: Valeur d'exposition moyenne pondérée

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TLV : Threshold limit value

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

RSST: Règlement sur la santé et sécurité au travail (Québec)

INRS: l'Institut national de recherche et de sécurité pour la prévention des accidents du travail et des maladies professionnelles (France)

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

LAST UPDATE: 2026-06-03