



610, rue Adanac, Quebec (Quebec) G1C 7B7

## SAFETY DATA SHEET

Tel. (Qc): (418) 660-8666

Tel. (Mtl): (450) 443-1046

Fax. (Qc): (418) 660-8998

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Dioctyl phthalate

Product Number : DR-0197

CAS-No. : 117-81-7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Supplier : Laboratoire MAT Inc.  
610 Adanac street  
Quebec QC G1C 7B7  
CANADA  
www.labmat.com  
Telephone : 418-660-866  
Fax : 418-660-899  
Emergency : 418-660-8666 Mon-Fri 8h-16h  
E-mail : labmat@labmat.com

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**GHS Classification in accordance with Hazardous Products Regulations (HPR)  
(SOR/2015-17)**

Reproductive toxicity (Category 1B), H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard statement(s)	
H360	May damage fertility or the unborn child.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Endocrine disrupting chemical(s)

- none

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms : Bis(2-ethylhexyl) phthalate  
Phthalic acid bis(2-ethylhexyl ester)

Formula : C<sub>24</sub>H<sub>38</sub>O<sub>4</sub>  
Molecular weight : 390.56 g/mol  
CAS-No. : 117-81-7  
EC-No. : 204-211-0  
Index-No. : 607-317-00-9

Component	Classification	Concentration *
<b>Bis(2-ethylhexyl) phthalate</b>		
	Repr. 1B; H360	<= 100 %
* Weight %		

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

**In case of eye contact**

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

**If swallowed**

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

**Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

**5.2 Special hazards arising from the substance or mixture**

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

**5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

**5.4 Further information**

Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

**6.2 Environmental precautions**

Do not let product enter drains.

**6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Bis(2-ethylhexyl) phthalate	117-81-7	TWA	5 mg/m <sup>3</sup>	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required			
		TWA	5 mg/m <sup>3</sup>	Canada. British Columbia OEL
	IARC '2B' applies to substances deemed possibly carcinogenic to humans.			
		TWA	3 mg/m <sup>3</sup>	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.

		STEL	5 mg/m <sup>3</sup>	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
		TWAEV	5 mg/m <sup>3</sup>	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
	Carcinogenic effect detected in animals. Results of studies relating to the carcinogenicity of these substances in animals are not necessarily applicable to humans.			
		STEV	10 mg/m <sup>3</sup>	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
	Carcinogenic effect detected in animals. Results of studies relating to the carcinogenicity of these substances in animals are not necessarily applicable to humans.			
		TWA	5 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)

## 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Body Protection

protective clothing

#### Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Control of environmental exposure

Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Appearance	Form: oily Color: colorless
b) Odor	odorless
c) Odor Threshold	Not applicable
d) pH	at 20 °C (68 °F) neutral
e) Melting point/freezing point	Melting point/range: -50 °C (-58 °F) - lit.
f) Initial boiling point and boiling range	384 °C 723 °F - lit.
g) Flash point	207 °C (405 °F) - closed cup
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	Lower explosion limit: 0.3 %(V)
k) Vapor pressure	1.6 hPa at 93.0 °C (199.4 °F)
l) Vapor density	No data available
m) Density	0.985 g/cm <sup>3</sup> at 25 °C (77 °F) - lit.
Relative density	No data available
n) Water solubility	ca.0.086 g/l at 25 °C (77 °F) - OECD Test Guideline 105 - insoluble
o) Partition coefficient: n-octanol/water	No data available
p) Autoignition temperature	390.0 °C (734.0 °F)
q) Decomposition temperature	No data available
r) Viscosity	ca.78.17 mm <sup>2</sup> /s at 20 °C (68 °F) - OECD Test Guideline 114 -
s) Explosive properties	No data available
t) Oxidizing properties	none

### 9.2 Other safety information

No data available

---

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

Forms explosive mixtures with air on intense heating.  
A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

### **10.3 Possibility of hazardous reactions**

No data available

### **10.4 Conditions to avoid**

Strong heating.

### **10.5 Incompatible materials**

Strong oxidizing agents

### **10.6 Hazardous decomposition products**

In the event of fire: see section 5

---

## **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

#### **Acute toxicity**

LD0 Oral - Rat - male and female - > 20,000 mg/kg  
(OECD Test Guideline 401)  
LC0 Inhalation - Rat - male and female - 4 h - > 10.62 mg/l - vapor

(OECD Test Guideline 403)

Remarks: (highest concentration to be prepared)

LD50 Dermal - Rabbit - 19,800 mg/kg

Remarks: (ECHA)

No data available

#### **Skin corrosion/irritation**

Skin - Rabbit

Result: slight irritation - 4 h

(OECD Test Guideline 404)

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: No eye irritation - 72 h

(OECD Test Guideline 405)

#### **Respiratory or skin sensitization**

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

- Mouse

Result: Does not cause respiratory sensitization.

Remarks: (ECHA)

#### **Germ cell mutagenicity**

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
Test Type: Mutagenicity (mammal cell test): chromosome aberration.  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
Test Type: sister chromatid exchange assay  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 479  
Result: negative  
Test Type: Micronucleus test  
Test system: Chinese hamster lung cells  
Metabolic activation: with and without metabolic activation  
Result: negative  
Remarks: (ECHA)

Test Type: Chromosome aberration test  
Species: Rat  
Cell type: Bone marrow  
Application Route: Oral  
Method: OECD Test Guideline 475  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Species: Rat  
Cell type: Liver cells  
Application Route: Oral  
Method: OECD Test Guideline 486  
Result: negative

### **Carcinogenicity**

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

### **Reproductive toxicity**

May damage the unborn child.  
May damage fertility.

### **Specific target organ toxicity - single exposure**

No data available

### **Specific target organ toxicity - repeated exposure**

No data available

### **Aspiration hazard**

No data available



## 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 104 Weeks - NOAEL (No observed adverse effect level) - 28.9 mg/kg

RTECS: TI0350000

Effects due to ingestion may include:, Gastrointestinal disturbance

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney -

---

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - > 0.67 mg/l - 96 h (OECD Test Guideline 203) Remarks: (above the solubility limit in the test medium)
Toxicity to daphnia and other aquatic invertebrates	Immobilization EC50 - Daphnia magna (Water flea) - > 0.16 mg/l - 48 h Remarks: (ECOTOX Database)
Toxicity to algae	EC50 - Pseudokirchneriella subcapitata - > 0.003 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test NOEC - activated sludge - 1,000 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Pimephales promelas (fathead minnow) - 23.8 mg/l - 32 d Remarks: (above the solubility limit in the test medium) (ECOTOX Database)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	flow-through test NOEC - Daphnia magna (Water flea) - 0.158 mg/l - 21 d (OECD Test Guideline 211) Remarks: (above the solubility limit in the test medium)

### 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 29 d Result: 82 % - Readily biodegradable. (OECD Test Guideline 301B)
------------------	---

### 12.3 Bioaccumulative potential

Bioaccumulation	Oncorhynchus mykiss (rainbow trout) - 100 d - 0.014 mg/l(Bis(2-ethylhexyl) phthalate)  Bioconcentration factor (BCF): 113 Remarks: Does not bioaccumulate.
-----------------	--

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties**

No data available

**12.7 Other adverse effects**

No data available

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

**SECTION 14: Transport information****TDG**

Not regulated as a dangerous good

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

**Further information**

Not classified as dangerous in the meaning of transport regulations.

---

**SECTION 15: Regulatory information**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

---

## **SECTION 16: Other information**

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last update: 2024-02-19