



Centre Anti-Poison pour le Québec: (800) 463-5060
Tél. (Qc): (418) 660-8666 / 800-890-8666
Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier PICRIC ACID 1.0%W/V		Product Use Laboratory use	
Chemical formula <chem>C6H3N3O7</chem>		Product code PS-0106	Molar weight 229,12
Chemical name / Commercial name / Synonymous PICRIC ACID, 1,3,5-TRINITROPHÉNOL, 2,4,6-TRINITROPHÉNOL, 2-HYDROXY-1,3,5-TRINITROBENZENE, ACIDE PICRONITRIQUE, ACIDE CARBOZOTIQUE, ACIDE NITROXANTHIQUE, TRINITRATE DE PHÉNOL			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666	CENTRE ANTI-POISON DU QUÉBEC 800-463-5060	
Date SDS 8/12/2019	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Respiratory or skin sensitization - Skin sensitize category 1
Signal Word	WARNING
Hazards statements (H)	H317 May cause an allergic skin reaction.
Precautionary statements (P)	<p>P261 Avoid breathing dust / fume / gas / mist / vapours / spray.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P302 + P352 IF ON SKIN: Wash with plenty of soap and water.</p> <p>P321 Specific treatment (see section 4 of the SDS and on this label).</p> <p>P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.</p> <p>P362 + P364 Take off contaminated clothing and wash it before reuse.</p> <p>P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.</p>
PICTOGRAMS	
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Significant; 4=Extreme)
	<p>Health 2</p> <p>Fire 0</p> <p>Reactivity 0</p> <p>Special danger</p>

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Acide picrique Eau	88-89-1 7732-18-5	0.9 Balance

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Heat, sparks and open flame. Explosive when dry.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx).
Special fire and explosion hazards	The dry product is explosive. May explode in shock or if heated above 300 ° C. May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personnel precautions, protective equipment	Evacuate personnel to safe areas. Remove all sources of ignition. Ensure adequate ventilation. Use a respirator as needed. When handling, wear appropriate safety equipment. Avoid breathing vapours, mist or gas. Dilute residues with water, clean and rinse. Dispose of residues in a container provided for the disposal of hazardous materials. Do not let product enter drains.
---	---

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Store in a well-ventilated area. Keep wetted with water. The product must contain at least 10% water, inspect and add water every six months if necessary. Keep container tightly closed and store away from incompatible products, heat, sparks, and open flame. We should not keep picric acid that is more than two years old.
Methods of handling	Always open containers slowly to allow any excess pressure to vent. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust or vapor is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Picric Acid	88-89-1	TWA	0.100000 mg/m ³	Canada. British Columbia OEL
Remarks	Sensitizer: sensitization critical effect			
		TWAEV	0.100000 mg/m ³	Canada. Ontario OELs
	Skin			
		STEV	0.300000 mg/m ³	Canada. Ontario OELs
	Skin			
		TWA	0.100000 mg/m ³	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TWA	0.1 mg/m ³	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TWAEV	0.100000 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWAEV	0.1 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	0.100000 mg/m ³	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
	Skin			
		STEL	0.300000 mg/m ³	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
	Skin			

Data source	Sigma-Aldrich (Millipore Sigma)
Ventilation	Use fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.
Appearance	Liquide jaune translucide.
Odour	Donnée non disponible.
Odour threshold	Data not available
pH	1.2-2.
Melting point / Freezing point	Data not available
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Solubility	1 g in 12 mL alcohol, 10 mL benzene, 35 mL chloroform, and 65 mL ether ; Very soluble in acetone ; In water, 1.27×10^{-4} mg/L at 25 deg C.
Vapour density	Data not available
Relative density	1.0g/ml
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Explosive when dry.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Chocs sensitive. Sensitive to friction. Heat, flames, sparks. Explosive when dry.
Incompatible material	Strong bases, reducing agents, heavy metals, heavy metal salts, ammonia.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx).

SECTION 11 - TOXICOLOGICAL INFORMATION

PICRIC ACID (MOISTERED~35%)

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and may result in corneal ulcerations. NOTE: Particles can penetrate the conjunctiva and cause a yellow-fingd vision.
- Skin	Irritation. Intense or repeated exposure may cause sensitization dermatitis (yellow skin discolouration, edema, papules, vesicles and desquamation), especially on the sides of the nose and around the mouth.
- Inhalation	Irritation of mucous membranes and respiratory tract. Nervous disorders, cough, dyspnea, headache, anuria followed by polyuria, weakness, myalgia and may lead to unconsciousness.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Abdominal pain, liver and kidney damage, cramps, diarrhea, headache, dizziness, salivation, albuminuria, hematuria, seizures, nausea and vomiting. Severe intoxication can lead to hemolysis (destruction of red blood cells), acute hepatitis and haemorrhagic nephritis.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, conjunctivitis, yellowing of the eyes, skin and hair, cutaneous sensitization, pruritus, nervous disorders, cough, dyspnea, headache, dizziness, sweating, salivation, bitter taste in the mouth, tiredness, weight loss and loss of appetite, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 200 mg/kg. LD50 Dermal - Data not available.
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

SUMMARY

Acute exposure effects / Symptoms:	By exposure routes below.
Ingestion	To our knowledge, the product has not been fully evaluated
Inhalation	To our knowledge, the product has not been fully evaluated
Skin	To our knowledge, the product has not been fully evaluated
Eyes	To our knowledge, the product has not been fully evaluated
Chronic exposure effects / Symptoms:	To our knowledge, the product has not been fully evaluated
ETA Mix (Estimated Acute Toxicity)	LD50 Oral: > 5000 mg/kg - Rat LD50 Dermal: No data available LC50 Inhalation: No data available

SECTION 12 - ECOLOGICAL INFORMATION

Available ecological information	No
----------------------------------	----

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Respiratory or skin sensitization - Skin sensitize category 1
--------------	---

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 8/12/2019