

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier			Product Use		
COPPER 1000PM +/- 1% REFERENCE SOLUTION			Laboratory use		
Chemical formula				Product code	Molar weight
Cu				AA-2000	63,54
Chemical name / Commercial name /	/ Synonymous				
-					
Supplier's name			Address-Street		
Laboratoire MAT			610, Adanac Street		
City		Province			
Québec		Québec			
Postal code	Postal code Internet		Phone number		
G1C 7B7 www.labmat.com		418-660-8666 / 800-890-8666			
Emergency phone CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060			
Date SDS SDS Prepared by			E-Mail		
1/11/2019 Laboratoire MAT		T	labmat@labmat.com		

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS				
Classification writing / Gris	Serious eye damage	e/eye irritation - Serious eye damage category 1		
	Skin corrosion/irritat	Skin corrosion/irritation - Skin corrosion category 1		
	Corrosive to metals	Corrosive to metals-Category 1		
	Corrosive to mercus-	curegory i		
Signal Word	DANGER			
Hazards statements (H)	H314 Causes severe	e skin burns and eye damage.		
	H318 Causes seriou	s eye damage.		
	H290 May be corro	sive to metals.		
Precautionary statements (P)	P260	Do not breathe dust / fume / gas / mist / vapours / spray.		
	P264	Wash the areas of the body that have been in contact with the product after handling.		
	P280	Wear protective gloves/protective clothing/eye protection/face protection.		
	P301 + P330 + P33	31 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.		
	P303 + P361 + P35	53 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.		
	P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
	P305 + P351 + P33	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P310	Immediately call a POISON CENTER or doctor/physician.		
	P321	Specific treatment (see section 4 of the SDS and on this label).		
	P363	Wash contaminated clothing before reuse.		
	P405	Store locked up.		
	P501	Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.		
	P234	Keep only in original container.		
	P390	Absorb spillage to prevent material damage.		
	P406	Store in a corrosion resistant container \slash or a container with corrosion resistant liner.		
PICTOGRAMS	T. W.			
Other dangers	NFF	PA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)		
	Health 3			
	Fire 0			
	Reactivity 0			
	Special danger			

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Acide nitrique	7697-37-2	4
Cuivre	7440-50-8	0.1
Εαυ	7732-18-5	Balance

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Non flammable.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Do not use a heavy water stream. Do not use powder extinguishers containing sodium bicarbonate, potassium bicarbonate, sodium carbonate, calcium carbonate, ammonium phosphate, or ammonium sulphate. Nitric acid may react violently with these extinguishing agents.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions Copper oxides - nitrogen oxides (NOx).
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10).
precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for	Evacuate personnel to safe areas. Absorb the product with sand or vermiculite. Dilute residues with water,
containment and cleaning up /	clean and rinse. Ensure a good ventilation of the premises. Dispose of residues in a container for disposal
Personnal precautions, protective	of hazardous materials. When handling, wear suitable safety equipment. Use breathing apparatus if
equipment	necessary. Avoid breathing vapours, mist or gas.

SECTION 07 - HANDLING AND STORAGE

•	Store in a well-ventilated area. Keep container tightly closed and store away from heat, water, moisture, and incompatible products. Protect from the sun's rays.	
Methods of handling	Bottle in glass containers only. Avoid inhalation of vapour or mist. Keep away from heat and sources of ignition.	

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS- No.	Value	Control parameters	Basis
Nitric acid	7697- 37-2	TWA	2.000000 ppm 5.200000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		STEL	4.000000 ppm 10.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TWA	2.000000 ppm	Canada. British Columbia OEL
		STEL	4.000000 ppm	Canada. British Columbia OEL
		TWAEV		Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		STEV		Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	2.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	4.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)

Data source	Sigma-Aldrich.	
Ventilation	Fan.	
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.	
Gloves	Handle with gloves.	
Eyes	Safety goggles with safety shutters.	
Shoes	Safety shoes.	
Clothing	Labcoat.	
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.	

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.
Appearance	Liquide de couleur bleu pâle-
Odour	Odeur suffocante
Odour threshold	Data not available
pH	< 1.0.
Melting point / Freezing point	Data not available
Initial boiling point	102°C
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Solubility	Miscible avec l'eau en toutes proportions.
Vapour density	Data not available
Relative density	1.05g/ml
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.	
Chemical stability	Stable under recommended storage conditions.	
Possibility of hazardous reactions	Stable under normal conditions.	
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	This product may discolour (greenish) if exposed to air and moisture. Old nitric acid inventories (10 years and older) or yellowish-colored batches have formed a nitroz compound with very explosive potential. Avoid contact with incompatible materials and extreme temperatures.	
Incompatible material	Strong bases. Strong oxidizing agents. Nitric acid is incompatible with bases, most metals, especially alkali metals, powdered metals, metal oxides, reducing agents, organic substances, including anhydrides, alcohols, aldehydes, ketones, ethers, amines, hydrocarbons, toluene, acetonitrile, acrylonitrile, chlorobenzene, methylene chloride, etc., combustible organic materials such as paper, charcoal, wood dust, etc. and with many sulphides, nonmetallic hydrides, carbides, and acetylenides.	
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions Copper oxides - nitrogen oxides (NOx).	

SECTION 11 - TOXICOLOGICAL INFORMATION

NITRIC ACID

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and tearing. Severe burns and destruction of ocular tissue that can lead to corneal ulceration and blindness.
- Skin	May be harmful if absorbed through skin. Severe burns and tissue ulcerations.
- Inhalation	Spasms, irritation and inflammation of the nose, throat and lungs. Cough, dyspnea, cyanosis, chest pain. Edema of the larynx and bronchi. Chemical pneumonitis and pulmonary edema that can lead to death.
Acute toxicity (Ingestion)	Corrosion and ulceration of the mouth, throat, esophagus, stomach and abdominal wall.
Chronic exposure effects / symptoms	Dental erosions have been attributed to repeated exposures. To our knowledge, the chemical, physical and toxicological properties have not been fully investigated.
DL50 (specify species and route of entry)	LD50 Oral - Data not available. LD50 Dermal - Data not available.
CL50 (specify species and route of entry)	Inhalation: 67 ppm, 4hres, Mouse

COPPER (POWDER)

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and may cause inflammation of the conjunctiva.
- Skin	Irritation.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders, chest pain, cough, dyspnea, headache, dizziness, fever, seizures, nausea and vomiting.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Blood disorders, liver and kidney damage, gastrointestinal disorders, cramps, headache, dizziness, sweating, salivation, tachycardia, seizures, nausea and vomiting. May be fatal if ingested in high doses.
Chronic exposure effects / symptoms	Burning sensation, conjunctivitis, blood disorders, liver, kidney and lung damage, chest pain, cough, dyspnea, laryngitis, headache, dizziness, tearing, confusion, irritability, fatigue, fever, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Intraperitoneal - Mouse - 3.5 mg/kg. LD50 Dermal: Data not available
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

SUMMARY

Acute exposure effects / Symptoms:	By exposure routes below.
Ingestion	To our knowledge, the product has not been fully evaluated
Inhalation	To our knowledge, the product has not been fully evaluated
Skin	To our knowledge, the product has not been fully evaluated
Eyes	To our knowledge, the product has not been fully evaluated
Chronic exposure effects / Symptoms:	To our knowledge, the product has not been fully evaluated
ETA Mix (Estimated Acute Toxicity)	LD50: Oral -Data not available LD50: Dermal - Data not available LC50: Inhalation -1675 ppm - 4h - Mouse

SECTION 12 - ECOLOGICAL INFORMATION

Available ecological information No	
-------------------------------------	--

SECTION 13 - DISPOSAL CONSIDERATIONS

	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	3264
UN Proper shipping name	LIQUIDE INORGANIQUE CORROSIF, ACIDE, N.S.A. (acide nitrique)
Transport hazard class(es)	8 Corrosive substances
Packing group	
Limited quantity index	5L
ERAP Index	-
Special precautions	16

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Serious eye damage/eye irritation - Serious eye damage category 1
	Skin corrosion/irritation - Skin corrosion category 1
	Corrosive to metals-Category 1

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 1/11/2019