



Centre Anti-Poison pour le Québec: (800) 463-5060

Tél. (Qc): (418) 660-8666 / 800-890-8666



Fax. (Qc): (418) 660-8998

## SAFETY DATA SHEET

### SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier PHOSPHORIC ACID 55%V/V (FROM 85%W/W)		Product Use Laboratory use	
Chemical formula H <sub>3</sub> PO <sub>4</sub>		Product code PS-0355	Molar weight 98
Chemical name / Commercial name / Synonymous Orthophosphoric acid			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060
Date SDS 4/15/2020	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

## SECTION 02 - HAZARDS IDENTIFICATION

<b>Classification WHIMS / GHS</b>	Corrosive to metals-Category 1 Serious eye damage/eye irritation - Serious eye damage category 1 Skin corrosion/irritation - Skin corrosion category 1
<b>Signal Word</b>	DANGER
<b>Hazards statements (H)</b>	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
<b>Precautionary statements (P)</b>	P234 Keep only in original container. P260 Do not breathe dust / fume / gas / mist / vapours / spray. P264 Wash the areas of the body that have been in contact with the product after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. P321 Specific treatment (see section 4 of the SDS and on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P405 Store locked up. P406 Store in a corrosion resistant container / or a container with corrosion resistant liner. P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.
<b>PICTOGRAMS</b>	
<b>Other dangers</b>	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	<b>Health</b> 3 <b>Fire</b> 0 <b>Reactivity</b> 0 <b>Special danger</b>

## SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Acide phosphorique	7664-38-2	57

## SECTION 04 - FIRST AID MEASURES

<b>Eye contact</b>	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
<b>Skin contact</b>	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
<b>Inhalation</b>	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
<b>Ingestion</b>	If the person is conscious, give water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
<b>Most important symptoms and effects (acute and delayed)</b>	Ref. section 11.
<b>Immediate medical attention and special treatment, if necessary</b>	In case of medical consultation, keep this sheet available.
<b>General advice</b>	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## SECTION 05 - FIREFIGHTING MEASURES

<b>Flammability</b>	No
<b>Ignition conditions</b>	Not flammable or combustible.
<b>Suitable extinguishing media</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable extinguishing media</b>	Not applicable.
<b>Dangerous fumes - combustion</b>	When heated to decomposition, the product emits toxic fumes: Phosphorus oxides Phosphine
<b>Hazardous combustion / decomposition products</b>	Hazardous decomposition products formed under fire conditions. Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine Hazardous decomposition products formed under fire conditions. Phosphorus oxides
<b>Special fire and explosion hazards</b>	May react violently with incompatible products (Ref Section 10).
<b>Special protective equipment and precautions for firefighters</b>	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

## SECTION 06 - ACCIDENTAL RELEASE MEASURES

<b>Methods and materials for containment and cleaning up / Personnel precautions, protective equipment</b>	Evacuate personnel to safe areas. Absorb the product with sand or vermiculite. Dilute residues with water, clean and rinse. Ensure a good ventilation of the premises. Dispose of residues in a container for disposal of hazardous materials. When handling, wear suitable safety equipment. Use breathing apparatus if necessary. Avoid breathing vapours, mist or gas.
--	---

## SECTION 07 - HANDLING AND STORAGE

<b>Conditions for safe storage</b>	Keep container tightly closed in a dry and well-ventilated place. Keep container tightly closed and store away from heat, water, moisture, and incompatible products. Protect from freezing.
<b>Methods of handling</b>	Avoid inhalation of vapour or mist.

## SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

### Workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Phosphoric acid	7664-38-2	TWA	1.000000 mg/m <sup>3</sup>	Canada. British Columbia OEL
		STEL	3.000000 mg/m <sup>3</sup>	Canada. British Columbia OEL
		TWA	1.000000 mg/m <sup>3</sup>	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required			
		STEL	3.000000 mg/m <sup>3</sup>	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required			
		TWAEV	1.000000 mg/m <sup>3</sup>	Canada. Ontario OELs
		STEV	3.000000 mg/m <sup>3</sup>	Canada. Ontario OELs
		TWAEV	1.000000 mg/m <sup>3</sup>	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWAEV	1 mg/m <sup>3</sup>	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		STEV	3.000000 mg/m <sup>3</sup>	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		STEV	3 mg/m <sup>3</sup>	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	1.000000 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		TWA	1 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		STEL	3.000000 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		STEL	3 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)

<b>Data source</b>	Sigma-Aldrich (Millipore Sigma)
<b>Ventilation</b>	Use fan.
<b>Respiratory</b>	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
<b>Gloves</b>	Handle with gloves.
<b>Eyes</b>	Safety goggles with safety shutters.
<b>Shoes</b>	Use safety shoes.
<b>Clothing</b>	Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
<b>Engineering control</b>	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

## SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state</b>	Liquid.
<b>Appearance</b>	Clair, incolore, visqueux-
<b>Odour</b>	inodore.
<b>Odour threshold</b>	Data not available
<b>pH</b>	1.
<b>Melting point / Freezing point</b>	Data not available
<b>Initial boiling point</b>	Data not available
<b>Boiling range</b>	Data not available
<b>Flash point</b>	Data not available
<b>Evaporation rate</b>	Data not available
<b>Flammability</b>	No
<b>Lower flammable / Explosive limit</b>	Data not available
<b>Upper flammable / Explosive limit</b>	Data not available
<b>Vapour pressure</b>	Data not available
<b>Solubility</b>	Miscible avec l'eau en toutes proportions..
<b>Vapour density</b>	Data not available
<b>Relative density</b>	1.308g/ml
<b>Partition coefficient water/n-octanol</b>	Data not available
<b>Auto-ignition temperature</b>	Data not available
<b>Decomposition temperature</b>	Data not available
<b>Viscosity</b>	Data not available

## SECTION 10 - STABILITY AND REACTIVITY

<b>Reactivity</b>	Non-reactive under normal conditions.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	Stable under normal conditions.
<b>Conditions of instability (Including sensitivity to shock / static discharge / vibration)</b>	Avoid contact with incompatible materials and extreme temperatures.
<b>Incompatible material</b>	The product releases explosive hydrogen gas when it reacts with chlorides and stainless steel. May react violently with sodium borohydride. Exothermic reactions with the following materials: aldehydes, amides, amines, alcohols and glycols, azo compounds, carbamates, esters, caustics, phenols and cresols, ketones, organophosphates, epoxides, explosives, combustible materials, unsaturated halides and organic peroxides. Phosphoric acid forms flammable gases with sulphides, thiols, cyanides and aldehydes. It also forms toxic fumes with cyanides, sulfides, fluorides, organic peroxides and halogenated organic compounds. Mixtures with nitromethane are explosive.
<b>Hazardous decomposition products</b>	Hazardous decomposition products formed under fire conditions. Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine Hazardous decomposition products formed under fire conditions.

## SECTION 11 - TOXICOLOGICAL INFORMATION

## PHOSPHORIC ACID (85%W/W)

<b>Routes of exposure</b>	Ingestion, inhalation, skin and eyes.
<b>Acute exposition effects / symptoms:</b>	By exposure route below.
<b>- Eyes</b>	Causes eye burns.
<b>- Skin</b>	May be harmful if absorbed through skin. Irritation and dermatitis. Causes skin burns.
<b>- Inhalation</b>	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Coughing, shortness of breath, headaches and confusion may occur. Vapors may cause pulmonary edema. Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath. Can cause chemical bronchitis.
<b>Acute toxicity (Ingestion)</b>	May be harmful if swallowed. Causes nausea. Vomiting. Diarrhea. Aspiration into the lungs may occur during ingestion or vomiting, resulting in lung injury. May cause severe pain in the mouth, chest and abdomen, leading to cough, vomiting and collapse.
<b>Chronic exposure effects / symptoms</b>	The product is extremely destructive of the tissues of the mucous membranes, upper respiratory tract, eyes and skin. Burning sensation, cough, asthma, laryngitis, respiratory failure, spasm, inflammation and edema of the larynx, spasm, inflammation and bronchial edema, pulmonary congestion, pulmonary edema. Dermatitis. To our knowledge, the chemical, physical and toxicological properties have not been fully investigated.
<b>DL50 (specify species and route of entry)</b>	LD50 Rat oral 1530 mg/kg LD50 Rabbit skin 2740 mg/kg
<b>CL50 (specify species and route of entry)</b>	LC50 Rabbit inhalation 1.689 mg/L 1 hr

### SUMMARY

Acute exposure effects / Symptoms:	By exposure routes below.
Ingestion	To our knowledge, the product has not been fully evaluated
Inhalation	To our knowledge, the product has not been fully evaluated
Skin	To our knowledge, the product has not been fully evaluated
Eyes	To our knowledge, the product has not been fully evaluated
Chronic exposure effects / Symptoms:	To our knowledge, the product has not been fully evaluated
ETA Mix (Estimated Acute Toxicity)	LD50 Oral: 2676 mg/kg - Rat LD50 Dermal: 4793 mg/kg - Rabbit LC50 Inhalation: 2954mg/L - 1h - Rabbit

## SECTION 12 - ECOLOGICAL INFORMATION

<b>Available ecological information</b>	No
---	----

## SECTION 13 - DISPOSAL CONSIDERATIONS

<b>Waste Disposal Method</b>	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
<b>Contaminated Packaging</b>	Dispose of as unused product.

## SECTION 14 - TRANSPORT INFORMATION

UN Number	1805
UN Proper shipping name	ACIDE PHOSPHORIQUE EN SOLUTION
Transport hazard class(es)	8 Corrosive substances
Packing group	III
Limited quantity index	5L
ERAP Index	-
Special precautions	-

## SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Corrosive to metals-Category 1 Serious eye damage/eye irritation - Serious eye damage category 1 Skin corrosion/irritation - Skin corrosion category 1
--------------	--

## SECTION 16 - OTHER INFORMATION

### Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 4/15/2020