



Centre Anti-Poison pour le Québec: (800) 463-5060

Tél. (Qc): (418) 660-8666 / 800-890-8666


Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier SODIUM CHLORIDE		Product Use Laboratory use	
Chemical formula NaCl		Product code SP-0757; SR-0091; SA-0091, SB-1000	Molar weight 58,44
Chemical name / Commercial name / Synonymous SODIUM CHLORIDE, SEL DE TABLE, HALITE, DENTRITIS, PUREX, ROCK SALT, STERLING, WHITE CRYSTAL			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666	CENTRE ANTI-POISON DU QUÉBEC 800-463-5060	
Date SDS 8/8/2018	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Not a hazardous substance or mixture
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	Health 1 Fire 0 Reactivity 0 Special danger

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Chlorure de sodium	7647-14-5	>97

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. If irritation persists, seek medical attention.
Inhalation	If breathing is difficult, give oxygen. If breathed in, move person into fresh air. Consult a physician.
Ingestion	If the person is conscious, drink water and induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Not flammable or combustible.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Not applicable.
Dangerous fumes - combustion	Sodium oxides Hydrogen chloride gas.
Hazardous combustion products	Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Sodium oxides
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personal precautions, protective equipment	Ensure adequate ventilation. Evacuate personnel to safe areas. Use personal protective equipment. Pick up with a shovel or broom, taking care not to scatter dust. Avoid dust formation.
---	--

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Keep in a dry place. Keep container tightly closed and store away from heat, water, moisture, and incompatible products.
Methods of handling	Provide appropriate exhaust ventilation at places where dust or vapor is formed.

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Exposure values (Quebec)	Components	No CAS	VECD (TLV-STEL)	VEMP (TLV-TWA)
	Sodium chloride	7647-14-5	N/D	Poussières totales : 10 mg/m ³

Data source	CNESST
Ventilation	Not required.
Respiratory	Respiratory protection is not required.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	Poudre cristalline de couleur blanche-
Odour	inodore.
Odour threshold	Data not available
pH	pH = 6.7 - 7.3.
Melting point / Freezing point	801 °C
Initial boiling point	1413 °C
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	1.33 hPa (1.00 mmHg) à 865 °C-
Vapour density	Data not available
Relative density	2.165g/ml
Solubility	Soluble dans l'eau et la glycérine.
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	This product quickly absorbs moisture from the air. Avoid contact with incompatible materials and extreme temperatures.
Incompatible material	Strong acids, bromine trifluoride, lithium and moisture. Strong oxidants.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Sodium oxides

SECTION 11 - TOXICOLOGICAL INFORMATION

SODIUM CHLORIDE

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and tearing. May cause inflammation of the conjunctiva.
- Skin	Irritation and dermatitis.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders, cough, dyspnea, headache, dizziness, nausea and vomiting.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Gastrointestinal disorders, cramps, diarrhea, headache, dizziness, sweating, salivation, seizures, hypertension, nausea and vomiting.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, conjunctivitis, nervous disorders, chest pain, cough, dyspnea, laryngitis, headache, dizziness, tearing, confusion, irritability, tiredness, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 3,550 mg/kg LD50 Dermal - Rabbit - >5000mg/kg
CL50 (specify species and route of entry)	LC50 Inhalation - Rat - 1 h - > 42,000 mg/m3

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	Toxicity to fish: LC50 - Lepomis macrochirus - 5840mg/L - 96h Toxicity to daphnia and other aquatic invertebrates: NOEC - Daphnia (water flea) - 1500 mg/l - 7 d
Persistence and degradability	Data not available.
Biaccumulative potential	Data not available.
Mobility in soil	Data not available.
Other adverse effects	Data not available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Eliminate as a household waste.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Not a hazardous substance or mixture
---------------------	--------------------------------------

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 8/8/2018