



Centre Anti-Poison pour le Québec: (800) 463-5060
 Tél. (Qc): (418) 660-8666 / 800-890-8666
 Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier SODIUM METABISULFITE		Product Use Laboratory use	
Chemical formula Na ₂ S ₂ O ₅		Product code SP-0156 ; SC-0156	Molar weight 190,1
Chemical name / Commercial name / Synonymous SODIUM METABISULFITE, PYROSULFITE DE SODIUM, SODIUM METABISULPHITE, DISODIUM PYROSULFITE, HYDROGÉNOUSULFITE DE SODIUM			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666	CENTRE ANTI-POISON DU QUÉBEC 800-463-5060	
Date SDS 2/7/2019	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Acute toxicity - Oral category 4 Serious eye damage/eye irritation - Serious eye damage category 1
Signal Word	DANGER
Hazards statements (H)	H302 Harmful if swallowed. H318 Causes serious eye damage.
Precautionary statements (P)	P264 Wash the areas of the body that have been in contact with the product after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. P330 Rinse mouth. P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company. P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
PICTOGRAMS	
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	Health 1 Fire 0 Reactivity 0 Special danger

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Métabisulfite de sodium	7681-57-4	<=100

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, drink water and induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Not flammable or combustible.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Sodium oxides.
Special fire and explosion hazards	Mixing sodium metabisulfite with sodium nitrite may result in a violent exothermic reaction. Contact with strong oxidizing agents and / or oxidizing materials may cause fire. Sodium metabisulfite combined with small amounts of water gives off heat. May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personal precautions, protective equipment	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Pick up with a shovel or broom, taking care not to scatter dust. Dispose of residues in a container provided for the disposal of hazardous materials. Do not let product enter drains.
---	--

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Air and moisture sensitive. Do not store near acids. Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage. Keep container tightly closed and store away from heat, moisture, and incompatible products.
Methods of handling	Always open containers slowly to allow any excess pressure to vent. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust or vapor is formed.

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Sodium hydrogensulphite	7631-90-5	TWA	5.000000 mg/m3	Canada. British Columbia OEL
		TWAEV	5.000000 mg/m3	Canada. Ontario OELs
		TWA	5.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required			
		TWAEV	5.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWAEV	5 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	5.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Not classifiable as a human carcinogen			
		TWA	5.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	5 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Sodium metabisulphite	7681-57-4	TWA	5.000000 mg/m3	Canada. British Columbia OEL
		TWAEV	5.000000 mg/m3	Canada. Ontario OELs
		TWA	5.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required			
		TWAEV	5.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWAEV	5 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		STEL	5.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	5.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)

Data source	Sigma-Aldrich (Millipore Sigma)
Ventilation	Fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	Poudre cristalline de couleur blanche-
Odour	De dioxyde de soufre.
Odour threshold	Data not available
pH	Solution aqueuse 4.5 à 50 g/l à 20 °C.
Melting point / Freezing point	>300°C
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	1.48g/cm ³
Solubility	Soluble dans l'eau à (650g/L), l'éthanol et le glycérol. Peu soluble dans l'alcool.
Partition coefficient water/n-octanol	log Pow: -3.699 à 25 °C-
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Sensitive to moisture and air. This product may decompose if exposed to moist air or in the presence of traces of water.
Incompatible material	Strong oxidizing agents (nitric acid, perchloric acid, peroxides, chlorates and perchlorates), strong acids, oxidizing materials, sodium nitrite, heat and moisture.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Sodium oxides.

SECTION 11 - TOXICOLOGICAL INFORMATION

SODIUM METABISULFITE

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and may cause inflammation of the conjunctiva.
- Skin	Irritation and dermatitis.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders, chest pain, respiratory allergy, cough, dyspnea, headache, dizziness, watery eyes, nausea and vomiting. Intense and prolonged exposure may lead to pulmonary edema.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Gastrointestinal disorders, cramps, diarrhea, headache, dizziness, sweating, salivation, convulsions, nausea and vomiting.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, conjunctivitis, nervous disorders, respiratory allergy, chest pain, cough, dyspnea, laryngitis, headache, dizziness, confusion, irritability, sweating, salivation, fatigue, weight loss and loss of appetite convulsions, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 1420-3200 mg/kg. LD50 Dermal - Rat - 2000 mg/kg.
CL50 (specify species and route of entry)	LC50 Inhalation - Rat - 4h - 5.5 mg/L.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	Toxicity to fish: LC50 - Oncorhynchus mykiss (rainbow trout) - 150 - 220 mg / l - 96 h Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Great Daphnia) - 89 mg / l - 24 h Toxicity to algae: IC50 - Desmodesmus subspicatus (green algae) - 48 mg / l - 72 h Toxicity to bacteria: Pseudomonas putida (Bacillus Pseudomonas putida) - 56 mg / l - 17 h
Persistence and degradability	Data not available.
Bioaccumulative potential	Data not available.
Mobility in soil	Data not available.
Other adverse effects	Harmful to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Acute toxicity - Oral category 4 Serious eye damage/eye irritation - Serious eye damage category 1
---------------------	---

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 2/7/2019